Appln No. 10/535,317 Amdt date July 24, 2009

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Please amend claims 22 and 36, and cancel claims 15-20 and 29.

- (Canceled).
- (Canceled).
- (Canceled).
- 4. (Canceled).
- (Canceled).
- 6. (Previously Presented) The glass forming alloy described in claim 36 wherein the alloy has a ΔT sc of more than 40 °C.
- 7. (Previously Presented) The glass forming alloy described in claim 36 wherein the alloy has a Vickers hardness greater than 700 Kg/mm².
- (Previously Presented) The glass forming alloy described in claim 36 wherein the alloy has a yield strength of greater than 2.5 GPa.
- (Previously Presented) The glass forming alloy described in claim 36 wherein the alloy has a Young's modulus of greater than 140 GPa.
- 10. (Previously Presented) The glass forming alloy described in claim 36 wherein the alloy has a ratio of glass transition temperature to liquidus temperature of around 0.6 or more.

- (Previously Presented) The glass forming alloy described in claim 36 wherein the alloy is substantially amorphous.
- (Previously Presented) The glass forming alloy described in claim 36 wherein the alloy contains a ductile crystalline phase precipitate.
- (Previously Presented) The glass forming alloy described in claim 36 wherein the critical cooling rate is less than about 1,000 °C/sec.
 - 14. (Canceled).
 - 15. (Canceled).
 - 16. (Canceled).
 - 17. (Canceled).
 - 18. (Canceled).
 - (Canceled).
 - (Canceled).
 - 21. (Canceled).
- 22. (Currently Amended) A glass forming alloy consisting essentially of an alloy having a composition given by:

Ni_{100-a-b-c-d} Ti_a Zr_b Al_c Cu_d, where 15 < a < 18, 27 < b < 30, 9< c < 11, 3 < d < 7, and a+b+c+d is in the range of from 58 to 61.

23. (Canceled).

Appln No. 10/535,317 Amdt date July 24, 2009

- 24. (Canceled).
- 25. (Original) The glass forming alloy described in claims 22 wherein the critical cooling rate is less than about 1,000 °C/sec.
 - (Canceled).
- (Previously Presented) A three dimensional article made from the alloy of claim 36 having an amorphous phase.
 - 28. (Canceled).
 - 29. (Canceled).
 - 30. (Canceled).
- (Original) A three dimensional article made from the alloy of claim 22 having an amorphous phase.
 - 32. (Canceled).
- 33. (Previously Presented) The glass forming alloy of claim 15 having a composition of $Ni_{40}Ti_{16}Zr_{28}Al_{10}Cu_6$.
- 34. (Previously Presented) The glass forming alloy of claim 15 having a composition of NianTi17Zr3sAl1nCus.
 - 35. (Canceled).
- 36. (Currently Amended) A glass forming alloy consisting essentially of an alloy having a composition given by:

 $Ni_{100-a-b-c-d}Ti_aZr_bAl_cCu_d$, where $15 \le a \le 18$, $27 \le b \le 30$, $9 \le c \le 11$, and $3 \le d \le 7$.